全国服务热线 / 0576-88018791

Global Service Hotline / +86-576-88018796

领跑者 FORERUNNER

佳岛缝纫机

综合样本
GENERAL CATALOG

* 本目录所述产品，因更新和改良，对产品之外观、规格和内容进行修改，可能不经事先预告，特此声明！

We declare that the articles are subject to our renewal because the specification mentioned in this leaflet maybe update without previous notice.

JAKI
佳 岛
SINCE 1999

JAKI
佳 岛
SINCE 1999

缝制机械领跑者
SEWING MACHINE FORERUNNER

ISO 9001 ISO 14001 ISO 45001

中国缝制机械协会理事单位 / 本企业已通过ISO9001管理体系认证
浙江科技型企业 台州著名商标 / ISO14001环境体系认证

浙江佳岛缝纫机有限公司
ZHEJIANG JIADAO SEWING MACHINE CO.,LTD.

地址：浙江省台州市椒江区东海大道东段993号
Add:No.993 East Donghai Road Jiaojiang Taizhou Zhejiang China
电话(Tel)：+86-576-88018796 / 88018791
传真(Fax)：+86-576-88027628 / 88018792
Http：//www.chinajaki.com
Email：jaki@china-jaki.com

202411

佳岛在手中，缝纫好轻松！
A stitch above the best!

国家高新技术企业
NATIONAL HIGH TECH ENTERPRISE

佳岛缝纫机董事长 JAKI PRESIDENT: MR.WANG HUAGING

做世界品牌
創行業先鋒

王華書

MESSAGE FROM 董事长致词
PRESIDENT

JAKI history, From first generation manual sewing machine to the fourth generation Automatic CNC machine

第一代

第二代

第三代

第四代

伴随着科技的日新月异，市场需求的不断提升，企业需要在激烈的竞争环境中不断地壮大、不断地变革、不断地开拓进取，我们佳岛正是这样一家具有雄心壮志、与时俱进的企业。为响应祖国关于实业兴国、节能环保的现代工业化理念，缝制行业在不断地寻求变化，佳岛也在顺势而为，于2012年提出以节能型电机取代传统离合器马达，而在2018年，为了更好的客户体验与产品形象，佳岛推出“深蓝”系列产品，市场反响强烈，客户反馈优良。

过去已去，佳岛一直走在行业变革的前沿，在发展策略、业务模式、经营管理及产品开发方面坚持创新与可持续发展；未来将来，佳岛将始终坚持以客户为中心的理念，做好产品，立志成为“世界一流生产缝制设备知名企业”。

According to the development of science and technology, the demands of the market keep improving, the enterprises need to strengthen, reform and forge ahead continuously under the violent competition environment, JAKI is exactly such an enterprise with great ambitions and keep pace with times. In response to the modern industrialization concept of the motherland on industrial rejuvenation, energy conservation and environmental protection, the sewing industry is constantly looking for change, JAKI follows it and propose to use energy saving motor to replace traditional clutch motor on 2012. And in 2018,in order to offer better customer using feeling and products performance, JAKI published “Deep Blue” series of products, wins strong response of the market and good feedback.

In the past, JAKI has been at the forefront of industry transformation, insisting on innovation and sustainable development in development strategy, business mode, operation management and product development; In the future, JAKI will always adhere to the customer-focused concept and do good quality products, determine to become a "well-known first class sewing equipment manufacturer enterprise around the world."

企业标准“领跑者”
Enterprise standard forerunner

浙江省科技型中小企业
Zhejiang science and technology SMS enterprises

ISO14001环境管理体系认证证书
Environmental management system certificate

ISO9001质量管理体系认证
ISO9001 Quality management system certificate

ISO45001职业健康安全管理体系认证
ISO45001 occupation Health Safety Management System

台州市著名商标
Taizhou Well-known trademark

台州名牌产品
Taizhou Well-known brand products

税收贡献企业
Tax contribution enterprise

国家高新技术企业
National high-tech enterprises

CE证书
CE certificate

中国缝制机械协会理事单位
China Sewing Machinery Association Director Unit

产品质量承诺单位荣誉奖状
Quality and Accredit Honoring Unit award

安全生产标准化
Safety production standardization

缝纫机针距调节标盘
专利号：ZL 2017 2 0738622.3

专利设计 仿冒必究
Patent Design, Imitation Is Not Permittsd

包缝机机头
专利号：ZL 2017 3 0453291.4

专利设计 仿冒必究
Patent Design, Imitation Is Not Permittsd

包缝机电控外壳
专利号：ZL 2017 3 0453789.0

专利设计 仿冒必究
Patent Design, Imitation Is Not Permittsd

自动送料机构
专利号：ZL 2017 2 0909193.1

专利设计 仿冒必究
Patent Design, Imitation Is Not Permittsd

缝纫机自动抬压脚机构
专利号：ZL 2014 2 0442329.9
ZL 2013 3 0314096.5

专利设计 仿冒必究
Patent Design, Imitation Is Not Permittsd

JAKI
佳岛

深蓝智造 钻石品质
Blue mind Diamond productivity

ABOUT JAKI
关于佳岛

浙江佳岛缝纫机有限公司创建于1999年，经过二十几年的励精图治和稳步前进，已快速成为中国缝制行业的知名品牌，成功跻身行业前列。公司在台州市椒江开发区征地近50亩成立产品研发中心和生产物流基地，拥有将近4万平方米的现代化标准厂房，年生产能力达到30万台。公司销售网点遍及中国大陆各省市、自治区，并远销亚、非、中东、拉美及欧洲全球各大地区。

公司自创立以来，坚持“开拓创新，顾客第一“的企业核心理念，自主研发创新具有世界先进水平的高科技产品，取得多项新型实用专利证书并荣获多项科研成果。是中国缝制协会理事单位，荣获《台州市著名商标》称号， 被授予《国家高新技术企业》《浙江省科技型企业》《全国乡镇企业先进单位》《创新成长型企业》《安全生产标准化企业》，被评为《年度企业资信等级AA+级》《诚信经营承诺单位》单位。

公司通过ISO9001质量管理体系、ISO14001环境管理体系、 OHSAS18001职业健康安全管理体系和CE认证. 产品通过《国家缝纫机监督检验中心》检测，涵盖八大类百余种缝中设备以满足客户的不同的需求，从普通工业缝纫机发展到自动化缝制单元及伺服节能电机等一系列机电一体化高附加值的绿色产品，达到节能、 高效、 绿色环保，为经销商和用户带来更多的利润，取得了更好的经济和社会双赢效益 。保证了公司产品在服装机械领域的先进水平，并实现了公司走可持续发展道路的战略目标。打造世界一流生产缝制设备知名企业！

Zhejiang JIADAO sewing machine Co., Ltd. Established in 1999, After more than 20 years of hard working and steady development, have rapidly become the well-known brand of sewing industry in China, successfully come into leading position of the industry. In 2011, we collected land 5 acres to build product R&D center and logistics base on taizhou industrial zone, Covers an area of 40,000 square meters of modern standard workshop, Annual production capacity up to 300,000 sets. The products are sold to all over the mainland China, and exported to Asia, Africa, middle east Latin America and Europe regions around the world.

It's a trusted brand with the slogan "innovation, people-oriented", Independent research and develop the world's advanced level of high-tech products, finished a number of new practical patent projects and made many achievements in scientific research. It became director unit of China Sewing Machine Association. it was awarded <taizhou Famous brand> <National high tech enterprise><zhejiang Science and technology enterprises><the Advanced Unit of China township Enterprises>, <Innovative growth enterprises><Safety production standardization enterprise><Honest business commitment enterprises>, it gained <the AA+ Grade Credit Enterprise>,and has been evaluated as the Quality commitment enerprises always.

SALES NETWORK 销售网络

为客户提供一站式采购服务
One-stop purchase services

佳岛缝纫机

佳岛在手中，缝纫好轻松!
A stitch above the best!

企业愿景：成为世界一流生产缝制设备知名企业！

Enterprise prospective: to become a world-wide famous sewing company.

PARTNER 车间一角

喷涂加工 硅烷化表面处理，自动化天然气烘道，德国进口的自动化喷枪，使粉末在表面更有光泽，更耐久！

Spray process Silanization surface treatment, automatic natural gas drying passage, adopt automatic Germany spray gun , make the powder more shiny on the surface and more durable!

CNC精加工 机头全自动加工中心加工，机壳高精度和稳定性，使机器使用寿命更长。

Machine manufactured by the automatic CNC which makes the machine head with great precision and stability, this technology can help prolong the usage period.

装配车间 Machine assembly line

面对全球一休化带来的机遇和挑战，佳岛引进国际选进的生产设备，确保生产质量和提高生产效率，品质，就是佳岛生存与发展的根本，我们力求生产的每个细节都符合行业标准。

Facing the global integration with opportunities and challenges, JAKI has imported international advanced production equipment, to ensure the production quality and improve production efficiency, Quality is the root of the survival and development of JAKI, we strive to every detail of the production to meet all the industry standard.

CISMA EXHIBITION CISMA展会

佳岛因您而精彩 ……

SINCE 1999

CISMA 2023展会


CISMA 2021展会

CISMA 2019展会

CISMA 2017展会

CISMA 2015 展会

CISMA 2013 展会

CISMA 2011展会

十四周年庆典

CISMA 2009展会


CISMA 2007展会

CISMA 2005展会

CISMA 2004展会

CISMA 2003展会

PARTNER 合作伙伴

对于客户，佳岛始终秉持“相互促进、共同发展、互惠互利”的合作原则，因此拥有一批忠实的、有着多年合作关系的国内外客户。在市场端，我们的营销团队永远在倾听客户对于我们的褒奖与建议，不断寻求企业与客户的平衡点，强调客户体验与产品反馈；在售后端，我们的技术团队坚持时间第一的原则，快速反应并解决客户的问题，并积极改善，不断完善产品品质。

For the customers,we insist on the principle of “mutual promotion,common development and mutual benefit”, thus many customers keep long time cooperation with us both in domestic and foreign market. For the market, our marketing team is willing to hear customers' awards and advises,constantly pursue the balance between the company and customers, stress on customers' using feeling and products feedback; For after-sale service,our technician team insist on the principle of “fast to solve”, reply ans solve the problems at the first time, actively keep improving the quality of the products.





SYMBOLS符号说明

型号 Model	机针 Needle	针数 No.of needles	功能应用 Application
触摸屏 Touch Screen	针杆行程 Needle bar stroke	线数 No.of threads	切刀尺寸 Cutter size
针间距 Needle gauge	自动剪线 Thread auto trimmer	线迹宽度 Stitch width	针迹长度 Stitch length
离合式针杆 Split needle bar	弯针 Looper	差动比 Differential ratio	电子夹线 Electronic clamp
针送料 Needle feed	综合送料 Compoud feed	下送料 Bottom feed	上下送料 Top and bottom feed
摆幅 Stitch width	吸风装置 Suction	卧式旋梭 Horizontal hook	立式旋梭 Vertical hook
薄料 Light materials	中厚料 Medium materials	厚料 Heavy materials	加固线 Bartacking
锁眼尺寸(平) Button holing size (horizontal)	锁眼尺寸(圆) Button holing size (round)	钉缝 Button stitch	纽扣直径 Button Diameter
自动抬压脚 Auto Presser lifting	上下停针 Up and down needle position	定长缝 Auto fixed length sewing	LED灯
刀垫长度 Length of hammer	流线加固长度 Taper bartack length	上停针 Up needle position	自动加油 Auto oil lubrication
压脚提升高度 Presser foot lift	电压 Voltage	功率 Power	频率 Frequency
刀片尺寸 knife size	转速 Sewing speed	重量 Weight	体积 Measurement

CATALOGUE 目录

钉襻机、模板机系列
LOOPER MACHINE AND TEMPLATE MACHINE SERIES

JR254-KP2S	11
R360-13090	11
JR8D Series 18100LS	11
JR8D Series 18100	11
M-4030 Series	11
M-6040 Series	11

平缝机系列
LOCKSTITCH MACHINE SERIES

H9-5S1/TW	13
H7-5S1	13
H7-4S1/TW	13
H7-5S2-NP	13
H6-5S2	13
H6-5S2/NP	13
H6-CY-4S1	14
H6-CY-4S1/PF	14
H6-4S1/RP	14
H5-4/RP	14
H6-4S1/TW	15
H5-4	15
H2	15
H1	16
H86D	16
H86D/LT	16
JR5490S	16
H86-AT/LT	16
H86-AT	16
JR8600/AT/LT	16
JR9992D-56/PL	17
JR9992D-85/PL	17
JR6780D	17
JR9800NA	17
N6	17
H31-32	17
JR0303D-56L	17
H63-4S1/TW	18
H63-32-4S1/TW-C	18
H33-3	18
H31	18
JR0303D-SC	19
JR370D-4/HT	19
JR6202D-3	19
JR6202AT	19
JR6202	19
JR0303	19
JR8700	20
JR5550	20
JR6150	20
JR8800AT	20
JR0058-2	20
JR0058-3/AT	20

双针机系列
DOUBLE NEEDLE LOCKSTITCH SEWING MACHINE SERIES

JR8450D/JR8750D	21
JR8420D/JR8720D	21
JR8450AT/JR8750AT	21
JR8420AT/JR8720AT	21
JR6842-AT/JR6872-AT	21
JR6845-AT/JR6875-AT	21
JR4410LA/JR4420LA	22
JR4420D-4	22
JR0628	22
JR4410	22

包缝机系列
OVERLOCK SEWING MACHINE SERIES

D10-4/EUT	24
D10CY-3/4	24
D9S	25
D9-4/4/5	26
D9S-4/EBK	26
F9-4/BK	26
F9-3/4/5	27
D8-3/4/5	27
F8-3/4/5	27
F7-3/4/5	27
A202-JR8100-4CD/AT/PUT	28
JR8100-4CD/AT/PN/RTP/PC	28
JR8100-4CD/AT/PN/RTP/RM/PC	28
JR8100-4AT/ RT	29
JR8100-4CD/AT	29
JR8100-4AT	29
JR8200-4CD/AT	29
JR747N-YT	30
JR747F-AT	30
JR8200-2AT	30
JR747F-PK/SP	30
JR747F-BK	30
JR2268-YM	30
JR747F/757F	31
JR747F-MDK	31

绷缝机系列
INTERLOCK SEWING MACHINE SERIES

V8S-01CB/EUT	33
V5S-01CB/ST	33
V6S-01CB/EUT	33
V5-05S	34
V1-02BB-DL	34
V1-01CB	34
V1-02BB	34
JR858N-01CB/AT	34
JR800-05CB	34
V6-35 EUT/ST/PC	35
V6-33/EUT/RP/PC	35
V6-01CB/RP	35
JR800M-02BB/DP	35
JR600-05GB/EUT	35
JR600-01CB/RP	35
JR720-356/EUT	36
JR787-356/EUT	36
JR1500 Series	36
JR62G	36

锁、钉、套系列
BUTTON HOLE BUTTON ATTACHING BARTACKING SERIES

JR1903B-ZD3	38
JR373D-ZD/Q	38
JR438D-ZD3	38
JR373D-ZD/L	38
ZD-3	38
ZD/L	38
JR1900B-2	39
JR1377D JR1373D JR373D	39
JR1903B-4	39
JR1903B-8	39
JR430D	39
JR436D	39
JR9820	40
JR1790	40
JR3900ASS-PLD	40
JR430D-MOT	40
JR781D	40
JR781KD-S1	40
JR1310/2210/3520/4030/6040	41
JR1850D	41

自动缝制单元系列
FULLY AUTOMATIC SEWING SERIES

AT1006/1790/AMR	41
JR3520/KD/LS	41
AT1008-8000C-100-AMR	42
AT1066/1790/AMR	42
KD6/311/LS/AMR	42
TD6/311/AMR	42
AT1007/800-3/AMR	43
AT1009/1906/ANF/AMR	44

超声波系列
ULTRASONIC SERIES

VC-70	45
JR70DN-02Q	45
T-50B	45
VP-10	45

粘合机系列
SEAMLESS BONDING MACHINE SERIES

JR880-2	46
JR850-2	46
JR880-1	46
JR880-3	46
JR880-5	46

曲碗机系列
FEEF-OF-ARM SEWING MACHINE SERIES

JR928	47
JR927PL-AT	47
JR63900AT	47
JR35800	47

多针机系列
MULTI-NEEDLE SEWING MACHINE SERIES

JR1400 SERIES	48
JR1433PSM	48
JR1404PMD	48
JR2000C	48
JR1508P-AT	49
JR1302	49
JR4412P-EUT	49
JR4408P-AT	49
JR08064P/VPL	49
JR008VC-12064P/EUT	50
JR33048P	50
JR33048P/VPQ	50

曲折缝系列
ZIGZAG SEWING MACHINE SERIES

JR20U53AT	51
JR20U43	51
JR20U457-AT	51
JR20U53D-AT	51
JR20U93AT	51
JR2284N/2280/2290	51
JR1720	51
JR1530AT	52
JR1121	52
JR10-3	52
JR10-5	52
JR2153MX-AT	52
JR-204-D-1	52

厚料机系列
THICK MATERIAL MACHINE SERIES

JR591D-S1	53
JR591D/592D	53
JR820/810	53
JR810PBE	53
JR335	53
JR8B	53

厚料机系列
THICK MATERIAL MACHINE SERIES

JR2628LG	54
JR335-G-6/01	54
JR168S	54
JR8365	54
JR-02	55
JR298	55
JR801	55
JR600AT	55
JR1510AE	55
JR520	55
JR360 A/B	56
JR370 A/B	56
JR101	56
JR500	56
JR826	56
JR511AT	56
JR-38	57
JR-18	57
JR-17	57
JR-1-2	57
JR20-2B	57
JR2502	57
JR2200	57
JR26-1A	57
JR9-2018	57
JR808	58
JR3808	58
JR818D	58

特种机系列
SPECIAL MACHINE SERIES

JR12G-52-1	58
JR8822	59
JR1201CS SERIES	59
JR3588	59
JR1201+1	60
JR-2244R-(2.4M)	60
JR888	61
JR911A	61
JR718	61
JR812/815	61
JR801AT/JR801A/JR802A	61
JR140L	61

裁剪机系列
CUTTING MACHINE SERIES

C2	62
CZD-3	62
CZD-103	62
JR1-1H	62
JR200	62
JR100AT	62
JR100/110	62
JR125	62

整烫设备
FINISING MACHINE

JR140X70/JR150X80	63
JR450MS	63
JR82X26A/JR82X26B	63
JR94A	63
JR-202	63
JR560A	63
JR75	63

电机、台板系列
MOTOR STAND TABLE SERIES

JR-26N	64
M5	64
JR-550W	64
包缝/绷缝系列	65
深蓝系列台板	66

JR254-KP2S
步进电脑双针钉襻机
Stepper motor double needle automatic belt loop setter

R360-13090
电子模版机旋转机头
Fully automatic computer template machine
(Rotating head)

JR8D Series 18100LS
全自动电脑模板机（激光切刀）
Fully automatic computer template machine(laser cut)



JR8D Series 18100
全自动电脑模板机
Fully automatic Computer template machine

M-4030 Series
智能工艺模板机
Intelligence template sewing machine

M-6040 Series
智能工艺模板机
Intelligence template sewing machine

平缝机型 Lockstitch model	机型系列 Model series	适应性能 Adaptive performance	基本功能 Basic function	配置性能 Configuration performance	选配功能配件 Optional functional accessories	清洁装置 Cleaning device
H	6	H	-4	S1	/QG	/EC

平缝机型 Lockstitch model

- H　深蓝系列 Deep blue series
- JR　常规系列 Normal series

机型系列 Model series

- 6　步进系列 Step motor series
- 7　升级版 Upgraded version

适应性能 Adaptive performance

- 无字　中厚料 Medium and thick material (without mark)
- H　厚料 Heavy duty
- B　大梭 Big hook
- W　微油 Semi oil
- CY　小嘴 Small mouth

基本功能 Basic function

- 3　自动剪线、倒回缝、电子夹线 Auto thread trimmer 、auto back latching、auto electronic thread clamp
- 4　自动剪线、倒回缝、电子夹线、抬压脚 Auto thread trimmer 、auto back latching、auto electronic thread clamp、auto foot lifter
- 5　自动剪线、倒回缝、电子夹线、抬压脚、电子松线 Auto thread trimmer 、auto back latching、auto electronic thread clamp、auto foot lifter、aito thread tension

配置性能 Configuration performance

- 无字　机械针距 Mechanical stitch length (without mark)
- S1　步进针距 Stepping stitch length
- S2　步进针距，步进剪线，抬压脚 Stepping stitch length、Stepping trimmer、foot lifter
- S1-7　7毫米针距 7mm stitch length

选配功能配件 Optional functional accessories

- QG　不锈钢板 Stainless steel base plate
- CP　封闭油盘 Sealing oil pan
- TW　一拖二，步进倒回缝，抬压脚 One drag two、stepping back latching、foot lifter
- NP　防鸟巢装置 Anti-nest device
- RP　电子平拖轮 Electronic puller(flat)
- RC　电子齿拖轮 Electronic puller(tooth profile)
- PY　上下双拖轮 Up an down puller
- PF　气动撑开架装置 Pneumatic brace device
- HF　手动撑开架装置 Manual brace device
- LT　带拉筒装置 Floder device
- HT　帽檐机 Cap hemming machine
- DZ　打褶装置 Pleating device

清洁装置 Cleaning device

- EC　电机下吸风装置 Electric bottom suction device
- PC　气动下吸风装置 Pneumatic bottom suction device

H9-5S1/TW
厚薄通吃一拖二步进电脑平缝机(加长机头)
Computer lockstitch sewing machine fit for all thickness of fabric (sealing oil pan,step motor)

H7-5S1
厚薄通吃步进电脑平缝机（封油盘）
Computer lockstitch sewing machine fit for all thickness of fabric (sealing oil pan,step motor)

H7-4S1/TW
厚薄通吃步进一拖二电脑平缝机
Computer lockstitch sewing machine fit for all thickness of fabric (One motor controll reverse and foot lifter)

H7-5S2-NP
厚薄通吃双步进电脑平缝机（防鸟巢）
Double stepper motor controlled computer lockstitch sewing machine(with Bird's nest prevention)

H6-5S2
双步进电脑平缝机
Double step motor computer lockstitch sewing machine

H6-5S2/NP
双步进电脑平缝机(防鸟巢装置)
Double step motor computer lockstitch sewing machine (Nest prevention device)

H6-CY-4S1
小嘴筒式步进电脑平缝机
Cylinder bed computer lockstitch sewing machine (step motor)

小嘴横向直径6.5CM,纵向4.5CM

本机适用于儿童袖口、裤脚口缝制。小口径筒形部位缝制更加便捷。
The machine is suitable for sewing children cuff, trouser cuff,its more convenient to sewing cylinder bed part.

H6-CY-4S1/PF
小嘴筒式步进电脑平缝机(气动拉撑架)
Cylinder bed computer lockstitch sewing machine (step motor，Pneumatic brace)

本机可选配加装多种尺寸气动拉撑架，可实现拉腰裤筒、袖口等特殊部位缝制。
The machine can be fitted with pneumatic stretcher of various sizes, which can realize the sewing of special part such as waist stretcher and cuff.

H6-4S1/RP
单步进电脑平缝机(带拖布轮)
Stepper motor controlled computer lockstitch sewing machine

RP

H5-4/RP
高速电脑平缝机(带拖布轮)
High speed Computer lockstitch machine

				M	H	mm	rpm	GW/NW kg	cm
H7-4S1	DBX1 11-18#	2	5	√	/	手动5.5，膝动13，自动9	5000	45/38	65X27X55
H7H-4S1	DPX5 18-21#	2	7	/	√	手动5.5，膝动13，自动9	4000	45/38	65X27X55
H7-5S1	DBX1 11-18#	2	5	√	/	手动5.5，膝动13，自动9	5000	46/40	65X27X55
H7-5S2	DBX1 11-18#	2	5	√	/	手动5.5，膝动13，自动9	5000	46/40	65X27X55

H6-4S1/TW
步进一拖二电脑平缝机
Stepper motor computer lockstitch sewing machine
(One motor controll reverse and foot lifter)

H5-4
高速电脑平缝机
High speed computer lockstitch machine

H5-4B大梭（Bighook）
☆ 可选配语音、USB、触摸屏
Optional speak,USB,touch screen

H2
高速单剪线平缝机
High speed auto trimmer lockstitch machine

H1
高速直驱平缝机
High speed direct drive lockstitch machine

				M	H					
			mm				mm	spm	GW/NW kg	cm
H5-4	DBX1 11-18#	2	5	√	/	/	手动5.5,膝动13,自动9	5000	45/38	65X27X55
H5-4H	DPX5 18-21#	2	7	/	√	/	手动5.5,膝动13,自动9	3500	45/38	65X27X55
H5-4B	DPX5 18-21#	2	5	/	√	√	手动5.5,膝动13,自动9	3500	46/40	65X27X55
H2	DBX1 11-18#	2	5	√	/	/	手动 5.5，膝动 13	5000	40/34	63X25X54
H2-H	DPX5 18-21#	2	7	/	√	/	手动 5.5，膝动 13	3500	40/34	63X25X54
H1	DBX1 11-18#	2	5	√	/	/	手动 5.5,膝动 13	5000	40/34	63X25X54
H1-H	DPX5 18-21#	2	7	/	√	/	手动 5.5,膝动 13	3500	40/34	63X25X54
H1-B	DPX5 18-21#	2	7	/	√	√	手动 5.5,膝动 13	3500	40/34	63X25X54

H86D
步进高速电脑带刀平缝机
High speed computer lockstitch machine with side cutter

H86D/LT
高速电脑带刀平缝机（带拉筒）
High speed computer lockstitch machine with side cutter

JR5490S
一体上差动电脑平缝机
Integrated on differential computer lockstitch sewing machine

H86-AT/LT
高速直驱带刀平缝机（带拉筒）
High speed direct drive lockstitch machine with side cutter

H86-AT
高速直驱带刀平缝机
High speed direct drive lockstitch machine with side cutter

JR8600/AT/LT
高速直驱带刀平缝机（带拉筒）
High speed direct drive lockstitch machine with side cutter and folder

JR9992D-56/PL
JR9992D-85/PL
长臂电脑平缝机
Long arm computer lockstitch machine

JR6780D
高速针送布电脑平缝机
High speed computer lockstitch machine (needle feeding)

JR9800NA
高速直驱平缝机
High speed direct drive lockstitch machine

N6
高速直驱平缝机
High speed direct drive lockstitch machine

H31-32
长臂直驱上下复合送料平缝机
Long arm direct drive Top and bottom feeding lockstitch sewing machine

JR0303D-56L
长臂上下送料电脑平缝机
Long arm top and bottom feeding computer lockstitch machine

H63-4S1/TW
静音单步进一拖二上下复合送料电脑平缝机
Stepper motor controlled top and bottom feeding computer lockstitch sewing machine(One motor controll reverse and foot lifter)

H63-32-4S1/TW-C
步进一拖二长臂上下复合送料电脑平缝机
Long arm top and bottom feeding computer lockstitch machine (One motor controll reverse and foot lifter)

H33-3
上下复合送料电脑平缝机
Top and bottom feeding computer lockstitch sewing machine

H31
直驱上下复合送料平缝机
Direct drive Top and bottom feeding lockstitch sewing machine



H63-3S1	DP*17 18-24#	2	8,12	√	手动8,膝动16	3000	47/41	68X27X56
H63-4S1-TW	DP*17 18-24#	2	8,12	√	手动8,膝动16,自动12	3000	47/41	68X27X56

H33-3	DP*17 18-24#	2	8,12	√	手动8,膝动16	3000	47/41	68X27X56
H33-4	DP*17 18-24#	2	8,12	√	手动8,膝动16,自动12	3000	47/41	68X27X56

H31	DP*17 18-24#	2	8,12	√	手动8,膝动15	3000	44/37	68X27X56

JR0303D-SC
上下复合送料电脑带刀平缝机
Top and bottom feeding computer lockstitch sewing machine side cutter

JR370D-4/HT
帽檐绗盆机
Cap quilter

JR6202D-3
大梭电脑平缝机
Computer lockstitch machine（big hook）

JR6202AT
直驱大梭平缝机
Direct drive lockstitch machine (big hook)

JR6202
大梭平缝机
Lockstitch machine (big hook)

JR6202L:12MM
JR0303L:10MM

JR0303
上下复合送料平缝机
Top and bottom feeding lockstitch machine

H31	DPX17 20#~23#	9	7~13	Big hook	–	2500	35/32	580X250X520
JR0303	DPX17 20#~23#	9	7~13	Big hook	–	2500	35/32	580X250X520
JR6202	DBX1 19#~23#	8	7~13	B	–	3000	35/32	580X250X520

JR8700
平缝机
Lockstitch machine

JR5550
平缝机
Lockstitch machine

JR6150
平缝机
Lockstitch machine

JR8800AT
直驱珠边机
Direct drive handstitch machine

JR0058-2
双针链式缝纫机
Double needle chainstitch machine

JR0058-2/AT
直驱双针链式缝纫机
Direct drive doubleneedle chainstitch machine

JR8700/JR5550/JR6150	DBX1 9#~18#	5	5.5~13	M	–	4500	35/32	595X225X555
JR8800-AT	60#~30# B33~B46	2, 3, 4, 5	8	–	–	2000	42.5/35.7	630X250X540

JR0058-2	Parallel 2 needle	1~4	5.5~10		★	2	4500	40/35	625X250X555
JR0058-3/AT	3 needle	1~4	5.5~10		★	2	4500	42/38	660X300X580

JR8450D/JR8750D
双针电脑平缝机（角缝）
Double needle computer lockstitch machine(spilt bar)

JR8420D/JR8720D
双针电脑平缝机
Double needle computer lockstitch machine(fix bar)

JR8450AT/JR8750AT
双针平缝机（角缝）
Double needle lockstitch machine(spilt bar)

JR8420AT/JR8720AT
双针平缝机
Double needle lockstitch machine(fix bar)

JR6842-AT/JR6872-AT
直驱双针平缝机
Direct drive double needle lockstitch machine(fix bar)



JR6845-AT/JR6875-AT
直驱双针平缝机（角缝）
Direct drive double needle lockstitch machine(spilt bar)

JR4410LA/JR4420LA
长臂综合送料平缝机(457/635/760/1005)
Long arm compound feeding lockstitch machine

JR4420D-4
双针综合送料电脑平缝机
Double needle compound feeding computer lockstitch machine

JR0628
综合送料缝纫机
Compound feeding lockstitch machine

JR4410
单针综合送料平缝机
Compound feeding lockstitch machine

		摆压脚提升量 MM				针杆行程 MM	底板尺寸 MM	操作空间 MM		
JR4410LA	DPX17(#20-30)	2-5标准3.2	8~16	9	1600	36	724X180	457X100	47/50	700X270X660
JR4420LA	DPX17(#20-30)	2-5标准3.2	8~16	9	1600	36	724X180	457X100	47/50	700X270X660

JR4410	DPX17(#20-30)	1		8~16			★	B	9	3000	47/40	690X270X355
JR4420	DPX17(#20-30)	2		8~16			★	B	9	3000	47/40	690X270X355

JR6842-005	DPX5 11-26#	1/8" 5/32" 7/32"	7~13	Fixed bar	5	M				3000	48/43	675X310X660
JR6872-005	DPX5 11-26#	1/8" 5/32" 7/32"	7~13	Fixed bar	5	B				3000	48/43	675X310X660
JR6875-005	DPX5 11-26#	1/8" 5/32" 7/32"	7~13	Spilt bar	7	B				3000	48/43	675X310X660
JR6745-005	DPX5 11-26#	1/8" 5/32" 7/32"	7~13	Spilt bar	7	M				3000	48/43	675X310X660
JR8420D	DPX5 11-26#	1/8" 5/32" 7/32"	7~13	Fixed bar	5	M	★	★	★	3000	48/43	740X335X660
JR8450D	DPX5 11-26#	1/8" 5/32" 7/32"	7~13	Spilt bar	5	M	★	★	★	3000	48/43	740X335X660

包缝机型 Overlock series	机型系列 Model series	线数 Threads	线迹功能 Stitch functions	附加装置 Additional device	配套装置 Matching device
D	9	-4	H	/BK	/EC

包缝机型 Overlock series

D
深蓝全自动
Deep blue automatic

F
深蓝直驱
Deep blue direct drive

JR
常规
Normal

DLH
反向机头左手缝
Reverse head
with left sewing

机型系列 Model series

9S
步进剪线和抬压脚
Stepping motor for auto-trimmer and lifter

9W
微油
Mirco oil

线数 Threads

2
2线
2 threads

3
3线
3 threads

4
4线
4 threads

5
5线
5 threads

6
6线
6 threads

线迹功能 Stitch functions

H
厚料
Heavy duty

B
细边密拷
Narrow edge

YM
浴帽
Shower cap

PS
下摆暗缝
Blind hemming

FS
接布机
Binding

ZJ
褶景车缝
Gathering

WR
管状布条车缝
Tubular cloth strip

TW
毛巾车缝(单针环缝)
Tower sewing
(single needle
surround sewing)

PZ
拉链车缝装置
Zipper sewing device

CD
上差动牙齿
Up differential device

BD
徽章缝制
Badge sewing

附加装置 Additional device

BK
机械包线头
Back latching

EBK
电子控制气动倒回缝装置
Electronic controlled pneumatic reverse sewing device

PN
气动侧吸风刀
Pneumatic side suction knife

EUT
电磁铁剪线和抬压脚
Magnet auto-trimmer and lifter

PUT
气动剪线和抬压脚
Pneumatic auto-trimmer and lifter

PT
气动抬压脚装置
Pneumatic auto-lifter

ET
电动抬压脚装置
Electronic auto-lifter

LFC
机械式送带装置
Mechanical feeding device

MDK
电子送带装置
Electronic feeding device

MEK
全自动电子送带装置
Full -atuomatic electronic feeding device

BX
包下摆装置
Blind hemming device

PK
卷边筒
Curling cylinder

PK/SP
口袋包边(带包边布条)
Pocket binding (with edging cloth strip)

DZ
前综合打褶装置
Front integrated pleating device

RP
电子平拖轮
Electronic flat pullle r

RC
电子齿拖轮
Electronic gear puller

PY
上下双拖布轮
Up and down puller

TK
半自动切带装置
Semi-automatic belt cutting device

ATK
全自动切带装置
Fully automatic belt cutting device

GL
手套车缝(小嘴前后辅助滚轮)
Glove sewing
(Cylinder with front and back puller)

TG
车肩带装置
Shoulder belt device

TA
双钩针环缝口袋包边缝合装置
Double crochet loop sewn
pocket edging sewing device

FG
放布条用辅助带盘
Auxiliary tape reel for placing cloth strips

RT
滚领(手动扩料)
Rolling collar (manual expansion)

RTP
滚领(气动扩料)
Rolling collar (pneumatic expansion)

RTP/RM
滚领(气动扩料、气动定位)
Rolling collar
(Pneumatic expansion
Pneumatic positioning)

RTP/RM/SAF
气动扩料、气动定位、步进送料
(Pneumatic expansion
Pneumatic positioning stepping feeding

RTP/RM/AA
气动扩料、气动定位,自动对位
Pneumatic expansion
Pneumatic positioning
Automatic alignment

配套装置 Matching device

EC
电机下吸风装置
Electric bottom suction device

PC
气动下吸风装置
Pneumatic bottom suction device

D10-4/EUT
步进超高速电脑包缝机
Super high speed computer overlock machine (step motor)

功 能：自动剪线、自动抬压脚、上下停针位、语音功能、LED照明、USB接口、压脚高度电子可调。
Features: Auto trimmer, auto foot lifter, up and down needle positions, LED light, voice function,
USB interface,

选 配：吸风装置(气动/电动)。
Electronically adjustable foot pressure.Options: Air suction device (pneumatic/electric).

使用范围：广泛适用于服装、内衣、卫衣、运动服装、床上用品、包装材料等各种面料的包缝作业。
Application: Widely suitable for overlock sewing operations on various fabrics such as garments, underwear, sweatshirts, sportswear, bedding materials, and packaging materials.



步进电机抬压脚，响应快、声音轻，压脚高度数字化可调。
Stepping motor for foot lifter, quick response, low noise, and digitally adjustable foot pressure height.

步进剪线，剪线瞬间完成。
Stepping thread trimmer, instant thread cutting.

步进剪线带光眼防切布功能，有效防止切刀乱切布现象，剪线更准确，线头更短。
Stepping thread trimmer with optical eye for fabric edge protection, effectively preventing messy fabric cutting, resulting in more accurate trimming and shorter thread ends.

D10CY-3/4
小嘴电脑包缝机
Small mouth computer overlock machine

圆筒形缝纫的小方头式，使缝纫作业更简便。
筒式的圆周为148mm，不仅适用于T恤衫的袖口、童装袖口，进深短的缝纫以及圆筒形状均能轻松完成，并且小方头周围无障碍物，落针处的右侧专门设计出10mm的空间，更加便于安装其他各类装置，并且使缝制效果更完美。
内置式直驱马达，是节能相比普通节能30%以上，不但大大的提高了效率，降低了能耗，而且使机器在工作过程中噪音更低，震动更小，制作出更加完美品质的缝制效果。

Small cylinder bed for small cylindrical good.
The circumference of the cylinder bed is only 148mm. The new type of cylinder bed overedgers includesall the features of the celebrated L8400 series. Sews small cylindrical goods smoothly such as hemming sleeves on T-shirts or children's wear. In addition.there is no obstacle around the cylinder bed, providing a 10mm space to the right of the needle drop. This ensures easy installation of various kinds of equipment, thus producing quality products.
Build-in direct drive servo motor, saving more than 30% energy by contrast mechanic type overlock, not only more energy saved and higher efficiency but make the machine in lower noise and less shake, perfect performance.

D9S
步进超高速电脑包缝机
Super high speed computer overlock machine (step motor)



功 能：自动剪线、自动抬压脚、上下停针位、语音功能、LED照明、USB接口、压脚高度电子可调。
Features: Auto trimmer, auto foot lifter, up and down needle positions, LED light, voice function, USB interface, electronically adjustable foot pressure. Options: Air suction device (pneumatic/electric).

使用范围：广泛适用于服装、内衣、卫衣、运动服装、床上用品、包装材料等各种面料的包缝作业。
Application: Widely suitable for overlock sewing operations on various fabrics such as garments, underwear, sweatshirts, sportswear, bedding materials, and packaging materials.

步进电机抬压脚，响应快、声音轻，压脚高度数字化可调。
Stepping motor for foot lifter, quick response, low noise, and digitally adjustable foot pressure height.

步进剪线，剪线瞬间完成。
Stepping thread trimmer, instant thread cutting.

步进剪线带光眼防切布功能，有效防止切刀乱切布现象，剪线更准确，线头更短。
Stepping thread trimmer with optical eye for fabric edge protection, effectively preventing messy fabric cutting, resulting in more accurate trimming and shorter thread ends.

			X		mm				mm	spm	GW/NW kg	cm
D9S-3N	DC*27 14#	基本缝 General seam	1	3	-	4	0.5-3.6	0.7-2.0	5.5	7000	41/34	52X36X49
D9S-4N	DC*27 11#	基本缝 General seam	2	4	3	4.6	0.5-3.6	0.7-2.0	5.5	7000	41/34	52X36X49
D9S-5H	DC*27 18#	厚料 Heavy dudy	2	5	3	4.6	0.5-3.6	0.7-2.0	5.5	7000	41/34	52X36X49
D9S-5N	DC*27 14#	基本缝 General seam	2	5	5	5.8	0.5-3.6	0.7-2.0	5.5	7000	41/34	520X360X490

D9-4/4/5
超高速电脑包缝机
Super high speed computer overlock machine

五项专利设计

▶ 全新外观设计
采用流线型设计，漂亮美观实用

▶ 高效益高收入
超高速，7500转/分，500W电机功率，伺服直驱节能72%

▶ 会说话
中英文语音播报功能，USB接口，方便用户使用

▶ LED照明灯
使操作更加便捷、舒适

▶ 进口零件
主要部件采用进口零件，使机器的质量得到保证

▶ HR（硅油）
延长机针的使用寿命

1.Brand new design for the appearance
Adopt streamlined design, beautiful and practical.
2.High efficiency and high payback
Super high speed can reach 7500 rpm/min, the servo motor is 500W and it can save 72% power.
3.Speaking function
Chinese and English voice broadcast function, USB interface, easy to use.
4.LED Light
Make the operation more convenient and comfortable.
5.Imported parts.
The main components adopt the imported spare parts, the quality of the machine is guaranteed.
6.HR(Si-oil)
Extend the needle working time.

D9S-4/EBK
步进超高速电脑倒回缝包缝机
Step super high speed computer overlock machine (back latching)

F9-4/BK
超高速直驱倒回缝包缝机
Super high speed direct drive overlock machine (back latching)

			X		mm				mm	spm	GW/NW kg	cm
D9-4	DC*27 14#	基本缝 General seam	2	4	3	4.6	0.5-3.6	0.7-2	5.5	7000	41/34	52X36X49
D9-5	DC*27 14#	基本缝 General seam	2	5	3	5.8	0.5-3.6	0.7-2	5.5	7000	41/34	52X36X49
D9-3B	DC*27 11#	细密缝 Narrow edge	1	3	/	4	0.5-3.6	0.7-2	5.5	7000	41/34	52X36X49
D9-5H	DC*27 18#	厚料 Heavy dudy	2	5	3	4.6	0.5-3.6	0.7-2	5.5	7000	41/34	52X36X49
D9-4BK	DC*27 11#	倒回缝 Back latching	2	4	5	5.8	0.5-3.6	0.7-2	5.5	7000	41/34	52X36X49
D9-4/PK	DC*27 14#	包口袋 Pocket seam	2	4	5	5.8	0.5-3.6	0.7-2	5.5	7000	41/34	52X36X49
D9-6	DC*27 14#	基本缝 General seam	3	6	5	5.8	0.5-3.6	0.7-2	5.5	7000	41/34	52X36X49

F9-3/4/5
超高速直驱包缝机
Super high speed direct drive overlock machine

-3

-4

D8-3/4/5
高速电脑包缝机
High speed computer overlock machine

F8-3/4/5
高速直驱包缝机
High speed direct drive overlock machine


-5

-5H

F7-3/4/5
直驱包缝机
Direct drive overlock machine

F9-3	DC*27 14#	基本缝 General seam	1	3	/	4	0.5-3.6	0.7-2	5.5	7000	40/32	52X36X49
F9-4	DC*27 14#	基本缝 General seam	2	4	3	4.6	0.5-3.6	0.7-2	5.5	7000	40/32	52X36X49
F9-5	DC*27 14#	基本缝 General seam	2	5	3	5.8	0.5-3.6	0.7-2	5.5	7000	40/32	52X36X49
F9-3B	DC*27 11#	细密缝 Narrow edge	1	3	/	4	0.5-3.6	0.7-2	5.5	7000	40/32	52X36X49
F9-5H	DC*27 18#	厚料 Heavy dudy	2	5	3	4.6	0.5-3.6	0.7-2	5.5	7000	40/32	52X36X49
F9-4/BK	DC*27 11#	倒回缝 Backlatching	2	4	5	5.8	0.5-3.6	0.7-2	5.5	7000	40/32	52X36X49
F9-4/PK	DC*27 14#	包口袋 Pocket seam	2	4	5	5.8	0.5-3.6	0.7-2	5.5	7000	40/32	52X36X49
F9-6	DC*27 14#	基本缝 General seam	3	6	5	5.8	0.5-3.6	0.7-2	5.5	7000	40/32	52X36X49
F8-4	DC*27 14#	基本缝 General seam	2	4	3	4.6	0.5-3.6	0.7-2	5.5	6500	40/32	52X36X49
F8-5	DC*27 14#	基本缝 General seam	2	5	3	5.8	0.5-3.6	0.7-2	5.5	6500	40/32	52X36X49
F7-4	DC*27 14#	基本缝 General seam	2	4	3	4.6	0.5-3.6	0.7-2	5.5	6500	33/30	46.5X33X46
F7-5	DC*27 14#	基本缝 General seam	2	5	3	5.8	0.5-3.6	0.7-2	5.5	6500	33/30	46.5X33X46

A202-JR8100-4CD/AT/PUT
气动剪线差动小嘴自动上袖口
Pneumatic thread trimmer differential small mouth auto rib cuff attaching

JR8100-4CD/AT/PN/RTP/PC
直驱侧吸剪线差动小嘴撑架滚领装置
Direct drive side suction thread trimmer differential small mouth support roll collar device

JR8100-4CD/AT/PN/RTP/RM/PC
直驱侧吸剪线差动小嘴撑架定位滚领装置
Direct drive side suction thread trimmer differential small mouth support positioning roll collar device

JR8100-4AT/ RT
小嘴直驱包缝机手动撑开架
Small cylinder bed direct drive overlock with manual frame-open device

JR8100-4CD/AT
小嘴上下差动电脑包缝机
Small cylinder bed computer overlock machine (with up and down differential device)

JR8100-4AT
小嘴直驱包缝机
Small cylinder bed direct drive overlock machine

JR8200-4CD/AT
超高速上下差动直驱包缝机
Super high speed direct drive overlock machine (with up and down differential device)

JR8200-3/EUT	1	3	–	4	0.5~3.6	0.7~2.0	★	★	★	★	5.5	6500	35/33	470X360X510
JR8200-4/EUT	2	4	2	4.6	0.5~3.6	0.7~2.0	★	★	★	★	5.5	6500	35/33	470X360X510
JR8200-5/EUT	2	5	3	5.8	0.5~3.6	0.7~2.0	★	★	★	★	5.5	6000	35/33	470X360X510
JR8200-3/AT	1	3	–	4	0.5~3.6	0.7~2.0	–	★	–	★	5.5	6500	35/33	470X360X510
JR8200-4/AT	2	4	2	4.6	0.5~3.6	0.7~2.0	–	★	–	★	5.5	6500	35/33	470X360X510
JR8200-5/AT	2	5	3	5.8	0.5~3.6	0.7~2.0	–	★	–	★	5.5	6000	35/33	470X360X510
JR799-4/AT	2	4	2	4.6	0.5~3.6	0.7~2.0	–	★	–	★	5.5	6500	33/30	465X330X480
JR2220-3/AT	1	3	–		0.5~3.6	0.7~2.0	–	★	–	★	5.5	6500	35/33	450X350X470

JR8200–3CD/AT	三线直驱上差动	1	3	-	4.5	1-6	3.5	6500	35/33	470X360X510
JR8200–4CD/AT	四线直驱上差动	2	4	2	4.5	1-6	3.5	6500	35/33	470X360X510
JR8200–5CD/AT	五线直驱上差动	2	5	5	4.5	1-6	3.5	6000	35/33	470X360X510
JR8200–3CD	三线上差动	1	3	-	4.5	1-6	3.5	6500	35/33	470X360X510
JR8200–4CD	四线上差动	2	4	2	4.5	1-6	3.5	6500	35/33	470X360X510
JR8200–5CD	五线上差动	2	5	5	4.5	1-6	3.5	6000	35/33	470X360X510

JR747N-YT
一体直驱包缝机
Direct drive overlock machine



JR747F
General Seaming
四线包缝一般车缝

JR747F-AT
直驱包缝机
Direct drive overlock machine

JR8200-2AT
直驱接布包边机
Direct drive cloth separator wrapping machine

正面 front

反面 back

JR747F-PK/SP
口袋包缝机
Overlock machine (for pocket)

JR747F-BK
倒回缝包缝机
Overlock machine (back latching)

JR737F
General Seaming
三线包缝一般车缝

JR2268-YM
浴帽包缝机
Overlock machine(for shower cap)

佳岛缝纫机

包缝机系列　OVERLOCK SEWING MACHINE SERIES

JR747F/757F
包缝机
Overlock machine



JR757F
General Seaming
五线包缝一般车缝

JR747F-MDK



JR757F-ZJ
Gathering
摺景车缝

MDK61

JR747F-MDK
包缝机（松紧带）
Overlock machine (for elastic attaching)

JR737F-B
Fine Edging
细边(荷叶边)车缝

JR737F-BX
Blind Hemming
拷下摆

JR737F-WR
Spaghetti Sewing
管状布条车缝



JR747F-TG
Tape Inserting
四线肩带包缝

JR747F-BK
Back Latching Seaming
线头包缝

JR747F-TG
Tape Inserting On Bulky Knitwear
厚毛衣肩带包缝

JR747F-PK/S
Pocket Binding
口袋边包缝



JR757F-X2
Jeans Sewing
牛仔布料(厚物料)车缝

JR737F	General	DCX27 11#	1	3	-	4	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480
JR747F	General	DCX27 11#	2	4	2	4,6	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480
JR757F	General	DCX27 11#	2	5	3	5,8	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480
JR757FH-56	General	DCX27 14#	2	5	5	6,11	0.5~3.6	0.7~2.0	6.0	6500	35/33	470X330X480
JR757FW-55	General	DCX27 14#	2	5	5	5,10	0.5~3.6	0.7~2.0	6.0	6500	35/33	470X330X480
JR767F	General	DCX27 14#	3	6	3X2	9	0.5~3.6	0.7~2.0	6.0	6500	35/33	470X330X480
JR767FH	General	DCX27 14#	3	6	5X2	11	0.5~3.6	0.7~2.0	6.0	6500	35/33	470X330X480
JR737F-B	Narrow edge 细边	DCX27 11#	1	3	-	4	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480
JR737F-BK	Back Latching 包线头	DCX27 11#	1	3	-	4	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480
JR747F-BK	Back Latching 包线头	DCX27 11#	2	4	3	3,5	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480
JR747F-MDK	Elastic attaching 松紧带	DCX27 11#	2	4	3	3,5	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480
JR747F-PK/SP	Narrow edge 口袋	DCX27 11#	1	4	2	3,5	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480
JR757F-ZJ	Gathering 打褶	DCX27 11#	2	5	3	5,8	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480
JR2268-YM	Shower cap 浴帽	DCX27 11#	1	3	-	4	0.5~3.6	0.7~2.0	5.5	6500	35/33	470X330X480

绷缝机型 Interlock models	机型系列 Model series	功能线迹 Functional stitching	针位 Needle Position	附加装置 Additional device	配套装置 Matching device
V	5	-01CB	56	/EUT	/EC

V
深蓝绷缝系列
Deep blue interlock sewing machine series

JR
常规
Standard

VLH
反向机头左手缝
Reverse head left-hand stitch

1
直驱平台系列
Direct drive series

5
平台全自动系列
Automatic series

5S
步进剪线和抬压脚
Step trimmer and foot lifter

5W
微油
Semi dry-head

6
小嘴系列
Small mouth series

8
超高速小嘴系列
Super high small mouth

N
打线凸轮外移
Outside forwarding looper thread handing

01CB
基本缝
Basic seam

02BB
带包边筒上滚条用
For tape binding

03DB
基本缝、上滚条，盖缝 三合一
Basic seam,tape binding,over seam 3 in 1

05CB
缝花边松紧带机械送料
Elastic lace attaching mechanical feeding

05S
缝花边松紧带步进送料
Elastic lace attaching step feeding

05GB
缝松紧带用
For ring type elastic seaming

08AC
下摆折边缝
Lower hem fold stitch

33B
上圆形松紧带右切刀修边
Eith right hand fabric trimmer

35BB
下摆折边缝左切刀修边
Left hand fabric trimmer

56
5.6毫米
5.6mm

64
6.4毫米
6.4mm

EC
电机下吸风装置
Electric bottom suction device

PC
气动下吸风装置
Pneumatic bottom suction device

EUT
电磁铁剪线和抬压脚
Electromagnetic trimmer and foot lifter

PUT
气动剪线和抬压脚
Pneumatic trimmer and foot lifter

RP
电子平拖轮
Electronic flat puller

RC
电子齿拖轮
Electronic toothed puller

PY
普通上下双拖轮
Standard dual pullers (up and down)

DP
机械上下大双拖轮
Mechanical large pullers (up and down)

TK
半自动切带装置
Semi-automatic tape cutting device

ATK
全自动切带装置
Fully automatic tape cutting device

AFH
全自动折下摆
Fully automatic lower hemming

FG
放布条用辅助带盘
Auxiliary thread dispenser for Fabric strip placement

PT
气动抬压脚装置
Pneumatic foot lifter device

ET
电动抬压脚装置
Electric foot lifter device

WP
绷缝上拨线装置
Interlock auto wiper device

UT
绷缝上切线装置
Interlock auto trimmer device

PF
气动撑开架装置
Pneumatic brace device

HF
手动撑开架装置
Manual brace device

PMD
多针松紧带装置
Metering device

VPL
多针贴条装置
Strip attaching

PSM
多针打揽装置
For smocking

VSF
多针衬衫门襟车缝
Shirt fronting

VSQ
多针松紧带缩褶缝
Elastic band pleating

VPT
多针褶布车缝
Pintucking

VSM
多针花饰缝
For smocking

VPQ
多针弹性线缩褶缝
Elastic thread shrring

VSC
多针松紧带抽皱缝
Multi-needle elastic Band shirring

VWL
前松紧带送带滚轮
Elastic inserting & attaching

V8S-01CB/EUT
步进超高速小方头电脑绷缝机
Stepping super high speed cylinder bed computer interlock machine

NEW
超高速6000转

新型针线分线机构　可以轻松的转换坚实的线迹和柔和的线迹，可以对应从超薄的布料到厚重的布料等多种多样的缝制品。
防油　在各处配备密封圈,可以发挥极大的防油效用。不仅仅在缝纫机工作中,即使在缝纫机停止工作的时候也可以将从针杆流出的微量的机油阻挡在外。
装配式下线凸轮机构　即使是意外的故障,也可以简单维护，再现需要装配的位置,不需要调整。
New needle thread take-up mechanism "Soft/tight seams" can be easily changed to "tight/soft seams," responding to a wide variety of sewn products made of extra light to heavy weight fabrics.
Oil Barrier The oil seal attached to various areas prevents oil leakage and oil splashes. This "Oil Barrier" feature completely blocks even one drop of oil leaking from the needle bar and even while the machine is stopped at night.
Detachable looper thread take-up So it is easier to solve unexpected trouble. The installation position is reproducible with no adjustments

V5S-01CB/ST
步进高速电脑绷缝机(自动上剪线3针5线)
High speed computer interlock machine(Auto trimmer)

V5S背面

WP

V6S-01CB/EUT
高速小方头绷缝机(外置打线拖轮)
High speed cylinder bed interlock machine (external threading tug)

V5-01CB	UY128GAS 9#~14#	2 3	★	★	4 5	5.6, 6.4	4.4	★	0.5~1.3	5.0~6.3	5500	64/55	660X420X615

V5-05S1
高速直驱绷缝机（花边松紧带）
High speed direct drive interlock machine
(Stepper motor feeding elastic lace)



V1-02BB-DL
高速直驱绷缝机（打揽）
High speed direct drive interlock machine (Pick-up)

V1-01CB
高速直驱绷缝机
High speed direct drive interlock machine

V1-02BB
高速绷缝机（上滚条）
High speed interlock machine(for tape binding)

JR858N-01CB/AT
高速直驱绷缝机
High speed direct drive interlock machine

打线凸轮外移，方便穿线
Out-moved thread cam makes the threading more easier and convenient,avoid the thread breaking.

JR800-05CB
高速绷缝机（花边松紧带）
High speed interlock machine (elastic lace attaching)

V6-35 EUT/ST/PC
高速左切刀小方头电脑绷缝机
Computer High speed cylinder bed interlock machine with left hand fabric trimmer

V6-33/EUT/RP/PC
高速右切刀小方头电脑绷缝机
Computer High speed cylinder bed interlock machine with right hand fabric trimmer



V6-01CB/RP
高速小方头绷缝机（带拖轮）
High speed cylinder bed interlock machine (with puller)

JR800M-02BB/DP
大拖轮毛毯专用绷缝机
High speed interlock sewing machine for carpet with big puller

JR600-05GB/EUT
高速小方头绷缝机(裤腰松紧带）
High speed cylinder bed interlock machine (for ring type elastic seaming)



JR600-01CB/RP
高速小方头绷缝机（带拖轮）
High speed cylinder bed interlock machine (with puller)

JR720-356/EUT
小嘴高速电脑绷缝机
Small cylinder bed high speed computer interlock machine



JR787-356/EUT
中嘴高速电脑绷缝机
Cylinder bed high speed computer interlock machine

JR1500 Series
筒式绷缝机
Cylinderbed interlock machine

JR62G
直驱曲臂式四针六线拼缝机系列
Direct-drive feed-off-the-arm 4 needle 6 thread flat-seamer series

V1-01CB	UY128GAS 9#~14#	-	-	2 3	4 5	5.6,6.4	4.4	-	0.5~1.3	5.0~6.3	5500	54/45	660X420X615
JR858N-01CB/EUT	UY128GAS 9#~14#	★	★	2 3	4 5	5.6,6.4	4.4	★	0.5~1.3	5.0~6.3	5500	52/49	610X400X630
JR858N-01CB	UY128GAS 9#~14#	-	-	2 3	4 5	5.6,6.4	4.4	-	0.5~1.3	5.0~6.3	4500	52/49	610X400X630
JR858N-02BB	UY128GAS 9#~14#	-	-	2 3	4 5	5.6,6.4	4.4	-	0.5~1.3	5.0~6.3	4500	52/49	610X400X630
JR800N-05CB	UY128GAS 9#~12#	-	-	2 3	4 5	5.6,6.4	4.4	-	0.5~1.3	5.0~6.3	5000	52/49	610X400X630
JR600-01CB/EUT	UY128GAS 9#~14#	★	★	2 3	4 5	5.6,6.4	4.4	★	0.5~1.3	5.0~6.3	5500	52/49	610X400X630
JR600-01CB/RP	UY128GAS 9#~14#	-	-	2 3	4 5	5.6,6.4	4.4	-	0.5~1.3	5.0~6.3	4500	52/49	610X400X630
JR600-33BB/EUT	UY128GAS 9#~12#	★	★	2 3	4 5	5.6,6.4	4.4	★	0.5~1.3	5.0~6.3	4500	52/49	610X400X630
JR600-35BB/EUT	UY128GAS 9#~12#	★	★	2 3	4 5	5.6,6.4	4.4	★	0.5~1.3	5.0~6.3	4500	52/49	610X400X630
JR600-05GB	UY128GAS 9#~12#	-	-	2 3	4 5	5.6,6.4	4.4	-	0.5~1.3	5.0~6.3	4500	52/49	610X400X630
JR720-356/EUT	UY128GAS 9#~14#	★	★	3	5	5.6	1.4~4.5	★	0.8~1.4	5.0~6.3	4200	52/49	610X400X630
JR787-356/EUT	UY128GAS 9#~14#	★	★	3	5	5.6	1.4-4.5	★	0.8~1.4	5.0~6.3	4200	52/49	610X400X630
JR1500 Series	UY128GAS 9#~16#	-	-	3	5	5.6	1.4~4.5	-	1:0.8~1:2	5.0~6.3	4200	52/49	610X400X630
JR62G	UY128GAS 9#~11#	-	-	4	6	5.2,6.0	4.4	-	1.6~2.5	5.0~6.3	3000	45/44	610X590X460

套结机型 Interlock models	机型系列 Model series	线迹功能 Stitch functions	组合装置	选配 Optional
JR	1900B	-2	-ZD-3	/T

套结机型 Interlock models

JR
常规系列
normal series

机型系列 Model series

1900B
二代套结机
Second generation bartacking machine

430D
二代套结机
Second generation bartacking machine

1903B
二代订扣机
Second generation button attaching machine

438D
二代订扣机
Second generation button attaching machine

组合装置

ZD-3
平扣自动电机送扣
electronic flat button auto feeding device

ZD-Q
平扣自动气动送扣
pneumatic flat button auto feeding device

ZD-L
立扣自动气动送扣
pneumatic vertical button auto feeding device

ZD-L3
立扣自动电机送扣
electronic vertical button auto feeding device

ZD-3/VRS
视觉识别平扣自动电机送扣
electronic Visual recognition flat button auto feeding device

ZD-L3/VRS
视觉识别立扣自动电机送扣
electronic Visual recognition vertical button auto feeding device

选配 Optional

T
可编辑触摸屏
Editable Touch Screen

NP
短线头装置
Shorter Thread Device

线迹功能 Stitch functions

2
打结订扣二合一
bartacking and button attaching 2 in 1

4
四眼花色扣缝
4 eyes button stitch

6
辫子扣缝
plait button stitch

8
子母扣缝
for snap button

6*9
6*9CM花样缝
6*9CM pattern sewing

3*4
3*4CM花样缝
3*4 pattern sewing

CE
菊花眼缝
Hat eye machine

PLH
抱枕机升降机头
Pillow lifting machine head

ES
橡筋对接缝
Elastic joint sewing

RB
绳辫加固缝
braided rope bartacking

FH
假发缝
Wig Stitch

TH
裤钩缝
Trousers Hook Stitch

FN
鱼网缝
Fishnet Stitch

DB
包布暗扣缝
Concealed button sewing

PB
小四眼按钮扣缝
Small Four-Eye Button Stitch

JR1903B-ZD3
计算机控制自动送扣钉扣缝纫单元
Computer controlled automatic button attaching unit

JR373D-ZD/Q
自动送扣直驱钉扣机（气动）
Direct drive button machine
(With auto button feeding device)Pneumatic

JR438D-ZD3
计算机控制自动送扣钉扣缝纫单元
Computer controlled automatic button attaching unit

JR373D-ZD/L
立扣自动送扣直驱钉扣机
Direct drive button machine with Vertic auto button feeding device

ZD-3
自动送扣装置
Auto button feeding device

适配机型：JR1903、JR438D、JR1377、JR373
适配扣：9-25mm 速度：75个/min 功能：一键换扣、一键测扣

Applicable models: JR1903、JR438D、JR1377、JR373
Applicable button:9-25mm Speed: 75/min functions: one-key button switch、 one-key button detect

ZD/L
自动送立扣装置
Vertic auto button feeding device

可完成市场90%的立釦的缝制（钉扣）工作，缝制范围9mm-25mm。
Can sew 90% of the sewing (button attaching) work for vertical buckles in the market, with a sewing range of 9mm-25mm.

JR1900B-2
高速电脑套结机（钉扣套结二合一）
High speed computer bartacking machine(Buckle and bark)

JR1377D JR1373D JR373D
直驱钉扣机
Direct drive button machine

JR1903B-4
高速电脑钉扣机（触摸屏暗扣钉扣）
High speed Computer button machine
(screen touch blind stitch)

JR1903B-8
高速电脑钉扣机（子母扣）
High speed Computer button machine (for snap button)

JR430D
高速电子套结机
High speed computer bartacking machine

JR436D
高速电子套结机(6x9cm)
High speed computer bartacking machine

JR1903B/JR438D	Button	DP*17 14#	★	0.1-10	15-32	14	2700	61/53	800X370X750 700X440X540
JR373D	Button	TQ*1 14-20#	★	◎◎	10-35	10	1800	35/33	575X460X440
JR1377D	Button	TQ*1 14-20#	★	◎◎◎	10-28	10	1800	35/33	575X460X440
JR1900B/JR430D	Bartacking	DP*5 14# DP*17# 19/120	★	0.05-12.7	-	17	3200	78/75 61/53	800X370X750 700X440X540

JR9820
电子圆头锁眼机
Computer eyelet button hole machine

JR1790
电子平头锁眼机
Computer lockstitch button hole machine

JR3900ASS-PLD
高速电子套结机（抱枕专用、靠垫、坐垫等）
High speed electronic bartacking machine

JR430D-MOT
电脑自动冲孔菊花眼一体机
Computer automatic punching chrysanthemum eye machine

JR781D
直驱平头锁眼机
Direct drive straight button hole machine

JR781KD-S1
一体单步进平头锁眼机
Stepper computer lockstitch button hole machine

JR1310/2210/3520/4030/6040
电子花样机
Electronic Pattern Sewing Machine

JR1850D
直驱套结机
Direct drive high speed bartacking sewing machine

AT1006/1790/AMR
T恤自动送料锁眼机
T-shirt automatic feeding keyholing machine

JR3520/KD/LS
激光开袋机
Laser pocket opening machine

JR9820-00	Eyelet hole:8-50mm Straight hole:5-50mm	22mm	长线面线，仅剪切面线 only cut the upper thread	1.5-5mm	Dox558 Nm80-Nm120	0-20	30	16mm	2500	95/89	1290x1330x880
JR9820-01	Eyelet hole:8-42mm Straight hole:5-42mm	22mm	长线面线，剪切面线和底线 cut both the upper and lower threads	1.5-5mm	Dox558 Nm80-Nm120	0-20	30	16mm (Drawer table 2 7mm)	2500	95/89	1290x1330x880
JR9820-02	22-30mm* 14-22mm* 18-26mm* 26-34mm* 34-42mm*	24/20mm	短线面线，剪切面线和底线 cut both the upper and lower threads (short thread end)	1.5-5mm	Dox558 Nm80-Nm120	0-20	30/26	16mm	2500	95/89	1290x1330x880
JR581	圆头锁眼Eyelet buttonhole:8-50mm 直形钮孔 : Straight buttonhole:5-50mm	22mm	面线长线剪切 Upper long thread trimmer	2.5	Dox558 Nm100 Schmetz	0-20	30	12-16	2500	190/155	1300x1000x1500
JR1790	41mm	※	※	※	DPx5 (#11J/#11J-#14J)	※	※	14mm	4200	76/72	365x690x530
JR781D	33mm 2.5-5mm	※	※	※	DPX5 11#-14#	※	※	12	3600	70/65	695x345x830

AT1008-8000C-100-AMR
四工位自动衬衫缝领单元
Four station automatic shirt collar sewing unit

AT1066/1790/AMR
全自动门襟锁眼缝纫机
Fully automatic placket keyhole sewing machine

KD6/311/LS/AMR
全自动激光开袋机
Full automatic laser pocket opening machine

本机XY采用伺服电机驱动，最大的特点是折袋压框及袋型板伸缩都是采用电机直接驱动，速度快、声音轻、使用寿命长是本机的特点，关键部位全部采用进口零件。

XY machine is driven by servo motor, the biggest feature is that folding bag press frame and bag plate expansion are driven directly by motor. Fast speed, light voice and long service life are the characteristics of the machine. All the key parts are imported parts.

TD6/311/AMR
全自动贴袋机
Fully automatic pocket attching machine

满足不同面料需求，比如棉麻、牛仔、针织布料等。自动折边、点位、套结、花样、剪线、收料一次完成。可应用于各个领域的口袋车缝，如牛仔裤、休闲裤、工作服、睡衣T恤衫等。关键部件采用国际知名厂家产品坚固耐用，维护成本极低。采用精密电机平移送料，保证送料精确、平稳。工作效率极高，保守估算一台机可抵6人的工作量。

Meet the needs of different fabrics, such as cotton. linen, jeans, knitted fabrics, etc. Automatic hemming, point positioning, tying, pattern cutting and material collection are completed at one time. Can be applied to pocket sewing in various fields, such as jeans, casual pants, overalls, pajamas, T - shirts, etc. The key components are made of internationally famous products, which are strong and durable and have very low maintenance cost. The precise motor is adopted to translate and feed, ensuring accurate and stable feeding. The work efficiency is extremely high, and it is conservatively estimated that one machine can cover the workload of six people.

AT1007/D9/AMR
全自动包缝缝制单元
Fully automatic overlock sewing unit



生产效率

每日产量（每8小时件数）
- ◆裤子前片：每8小时可生产600片
- ◆裤子后片：每8小时可生产600片
- ◆8段线缝（裤子前片和2预缝）：每8小时可生产560片
- ◆8段线缝（裤子后片和2预缝）：每8小时可生产560片
- ◆9段线缝（裤子前片和3预缝）：每8小时可生产500片
- ◆9段线缝（裤子后片和3预缝）：每8小时可生产500片

Daily output(S hours 8 hours)
- ◆Front trouser:600 pieces/8 hours
- ◆Back trouser:600 pieces/8 hours
- ◆8 seans(front trouser and 2 preseams):560 pieces/8 hours
- ◆8 seans(back trouser and 2 preseams):560 pieces/8 hours
- ◆9 seans(front trouser and 3 preseams):500 pieces/8 hours
- ◆9 seans(back trouser and 3 preseams):500 pieces/8 hours

主要特点

- 裤脚边、门襟弧度和裆部弧度等部位包边可通过机器人工控制完成，而侧缝和内侧缝全部实现自动包边。
- 缝料由控边装置控制，根据缝料的厚度简单的调整控边装置的通过高度使缝料顺畅地通过。
- 机器自动完成包边、送料和折叠工序。
- 自动修剪线毛，清除废屑，但不剪掉任何面料。

Features
- The preseams: hem, fly curve and seat curve can be serged manually at the sewing head, The side seams and inseams are sewn fully automatically.
- Height adjustment contour guide with quick adjustment,
- The work piece is controlled by the contour guide, sewn and stacked,
- Automatic chain cutting and lint cutting without affecting sewing material,
- EFKA control system and screen.

适用范围

- 适用于不带里衬裤片和裙片的包边，小片包边。
- 机器操作非常容易，通过短时间的培训即可激发设备无限的生产潜力，减少生产对熟练工人的依赖。
- 机器自动高速运转，这使得操作工有充足的时间完成辅助动作，确保连续工作，大幅提高工作效率。

Applications
- The serging unit is a compact serging unit for serging skirt and trousers panels without knee lining and small parts,
- The easy-to-operate working process ensures superb production potential at short training periods.
- The high work speed of the unit allows a rapid, overlapping operating sequence.

AT1009/1906/ANF/AMR
全自动冷刀接橡筋机
Automatic cold knife joint elastic band machine

AT1009/1906/AUS/AMR
全自动超声波刀接橡筋机
Automatic ultrasonic knife jointing elastic band machine

超声波刀 ultrasonic knife

功能：LOGO 对标定位、定型功能、大小码功能、自动过结头、自动计长度、收料功能、最短周长可做15厘米。选配：AI视觉定位

Features: Logo positioning, standard alignment, shaping function, size coding, automatic end knotting, automatic length calculation, material receiving function, capable of making a minimum circumference of 15CM. Optional: AI visual positioning.

用途：• 适用于内裤、运动服、童装、箱包、瑜伽服、家居服等接橡筋。

Usage: Suitable for elastic band attachment in underwear, sportswear, children's clothing, luggage, yoga wear, and loungewear, among other applications.

1.全自动测量、切断、缝制，超高生产效率，降低了操作时对于专业技能的要求；

2.削减了接橡筋工艺需要的人力，一个无专业技能的操作工人可以独立操作4-6台机器；

3.稳定的缝制尺寸，可提高后道工艺效率；

4.把原材料的浪费减到最小，从始至终均可获得稳定的高品质、高产量。

- Fully automated measuring, cutting, and sewing processes result in extremely high production efficiency, reducing the requirement for specialized skills during operation.
- Reduces the manpower required for elastic band attachment, enabling a single operator without specialized skills to independently manage 4-6 machines.
- Consistent sewing dimensions contribute to improved efficiency in subsequent processes.
- Minimizes waste of raw materials, ensuring stable high-quality output and high production yield from start to finish.

VC-70
新一代步进线性调速、数字追频超声波缝合机
Next generation step linear speed regulating, Digital frequency tracking Ultrasonic lace machine

高速 40m/min

410×230cm
Large operation space

彩色触摸屏显示，更加直观，调整更加方便。数字追频超声波电路，更加稳定，大幅提高换能器寿命。
Color touch screen display,more intuitive, more convenient adjustment,Digital frequency ultrasonic circuit, more stable, greatly improve the life of the transducer.



三步进电机即放即停，即踩即走，线性加速，操控更加方便，提高缝纫质量。
The three-step motor can be put or stopped, stepped or walked, with linear acceleration, more convenient operation and improved sewing quality.

JR70DN-02Q
线性调速、数字追频超声波缝合机
Linear speed regulating, Digital frequency tracking ultrasonic lace machine



T-50B
数字追频超声波点带机
Digital frequency tracking ultrasonic band welding machine

VP-10
热风缝口密封机
Hot air seam sealing machine

上下压轮可差动变速
The up and low roller can be differential variable speed

自动化剪带
Automatic cutting tape

智能保护系统
Intelligent protection system

JR880-2
电脑无缝粘合机(折边机)
Computer seamless bonding machine (folding)

4个加热系统

吹风独立调节

温度稳定性+1度

数字化直观可视



适用范围
1. 无缝裤贴胶
2. 运动衫贴胶
3. 泳衣、单车服贴胶
4. 冲锋衣、户外服装贴胶
5. 无缝裤、无缝船袜贴布条

JR850-2
电脑无缝粘合机(拼贴机)
Computer seamless bonding machine(collage)

Applicable scope
1. Seamless lingerie paste glue tape
2. Seamless sports wear
3. Swimming wear, bicycle wear ect paste tapes
4. Seamless outdoor wear paste tapes
5. Seamless underwear, seamless low cut ped Socks paste a strip of cloth

JR880-1
电脑无缝粘合机(贴胶机)
Computer seamless bonding machine (adhesive film)

JR880-3
电脑无缝粘合机(贴胶机)
Computer seamless bonding machine (adhesive film)

JR880-5
电脑无缝粘合机(拼贴机)
Computer seamless bonding machine(collage)

JR928
三针曲碗机
Three needle feed-of-the-arm machine

JR937三针薄料 Three needle for Light material

JR927PL-AT
直驱双针曲碗机（带拖轮）
Direct drive double needle feed-of-the-arm machine (with puller)

正面（Front） 反面（Back）

JR63900AT
直驱辘脚机
Direct drive bottom hemming machine

JR35800
埋夹机
Three needle feed-of-the-arm double chainstitch machine

		X		L	M	H	XH				
JR927/928	TVX64-NY 8~14# UY128GAS-NY 16~22#	2 3	1.2~3.2		★			3.2~6.4	4000	65/60	580X545X475
JR928XH-PL	UY128GAS-NY 16~22#	3	1.2~5.2			★	★	3.2~6.4	3500	65/60	580X545X475
JR63900AT	DBx1#16	2	1.2~3.2	★	采用机針：UY×180GVS #18～#20 Needle：uy 180gvs			3.2~6.4	3500	110/70	775X1325X107

		X									
JR008VC-12064P	11~14#	12	24	12	1/4	1~3.6	1.4~3.6	12	4500	52/48	620x400x605
JR2000C	UYX128GAS 14#	2	3	34	3/16, 7/32, 1/4	8~18	0.8~1.5	8	4500	52/48	620x405x590
JR1302	YOX163 11#	2	4	34	2X5.55	0.9	0.8~1.5	8	3500	52/48	620x405x590

JR1400 Series
多针机系列
Multi-needle chainstitch machine series

JR1404P系列为平台式多针机，上松紧、门襟滚条、上腰、装饰缝等。多功能多针机，适用于内衣、运动服，女装、工作服、装飾品等。
P: 带拖轮 PMD: 前松紧带装置 PL: 滚条装置
PSF: 门襟装置 PSM: 打缆装置 PTV: 打折用

It's multi-pupose machine for attaching elastic, attaching waistband, sewing front of shirts, attaching line tapes, smocking and shirring etc. It's multi-purpose machine for underwear, sportswear, lady's clothes etc.

P: With puller
PMD: Metering device
PL: Attaching ling tape
PSF: For shirt fronting
PSM: For smocking
PTV: Pintucking

PL PMD PSF PSM PTV PTV

JR1433PSM
三十三针打揽机
Multi-needle chainstitch machine(for smocking)

适用薄针织品，乔其纱，中厚料以及坚固呢等缝料的装饰缝纫，可平缝、抽褶、打缆等，上下线使用普通线；
如下线使用特定的橡盘线就可对薄料做弹力抽褶打缆。

Smocking machine can be used on thin knitted fabrics and Georgette as well as medium thick knitted fabrics and denim. As double chainstitch is formed, it is suitable for all kinds of products. By using general thread for upper and lower thread, plain or shirring smocking can be formed. Further, if you shoud use specified elactic thread or lower thread, elastic shirring smocking can be formed which is suitable for thin materials.

JR1404PMD
前松紧带松布装置裤头车
Chain Stitch Machine With Metering Device For Waistband

JR2000C
裤耳机
Chainstitch machine with front cutter (for belt looper)

双针带前割刀，缝裤耳用。
Double needle with a front cutting knife for sewing trousers ears.

JR1508P-AT
直驱裤腰机
Direct drive chainstitch machine(for waistband)



JR1302
曲牙机
Chainstitch machine(for picotting)

JR4412P-EUT
半筒型自动剪线链式多针机
Auto trimmer Cylinder Bed
chainstitch multi needle Machine

JR4408P-AT
半筒型直驱线链式多针机
Direct drive Cylinder Bed chainstitch multi needle Machine

JR08064P/VPL
贴条多针机
Multi-needle machine(Three-stripes Tape binding)

完全自动给油，勾针纵向运动机构，筒型车台，利于圆筒形衣物之缝纫。适用于装饰条带，运动衣裤等车缝，效率高，品质稳定。
Fully automatic oil feeding, needle longitudinal movement mechanism and cylindrical clothing sewing. Suitable for decorative strips, sports clothes and other sewing, high efficiency, stable quality.

JR008VC-12064P/EUT
自动剪线多针机系列
Auto trimmer multi-needle chainstitch machine series

完全自动给油，勾针纵向运动机构，筒型车台，利于圆筒型衣物之缝纫。适用于高级衣物之装饰车缝，有4针、6针、8针、12针、13针等不同针位的机型，一机多针，缝制方便，可配卷边器，一次性加工成形，是现代缝制休闲服的最佳设备。
VWL：松紧带前送装置，可调整松紧量之多少，操作简单。
VSF: 门襟装置　VPL: 滚条装置　VSM: 打缆装置
VPT: 打折用　VPQ: 橡筋线缩褶用装置

The sewing machine with full automatic oil supply, hook vertical move ment structure and simple platform is suitable for people type cloth and high-class cloth embroidery sewing, equipped with 4,6,8,12,13 needles on one machine of different positions, and also with roller, therefore, it is able to sew conveniently, the machine can achieve the process instantly, and is the best choice for leisure clothes in modern times.

VWL: Elastic inserting & attaching
VSF: Shirt fronting
VPL: Strip attaching
VSM: For smocking
VPT:Pintucking
VPQ: Elastic thread shrring



JR33048P
三十三针多针机
Multi-needle machine



多针双线链式缝纫车
Multi needle double thread chain sewing machine
适用于衬衫、女士礼服的平的，最适合于需要的宽幅褶服装品的制。
Suitable for shirts, women's dresses of flat, most suitable for the need of wide pleated clothing.

JR33048P/VPQ
三十三针多针机 松紧带抽皱缝机(裙子机)
Multi-needle machine Elastic band extraction wrinkle sewing machine (skirt machine)

适用于女性皱褶连身衣裙等腰边松紧线皱褶，如女士衬衫、游泳衣、枕头套、儿童衫均能车缝顺畅。注：勾针顶线宜用弹性线。
It is suitable for the folds of women's garment, such as blouse, swimsuit, pillowcase and children's shirt. Note: Elastic thread should be used for top line of crochet.

JR20U53AT
直驱曲折缝
Direct drive zigzag machine

JR20U43
曲折缝
Zigzag machine

JR20U457-AT
曲折缝
Zigzag machine

JR20U53D-AT
直驱花样曲折缝
Direct drive computer Zigzag machine

JR20U93AT
曲折缝
Zigzag machine

JR2284N/2280/2290
高速曲折缝
High speed Zigzag machine

JR1720
对丝机
Ringlet embroil machine

JR1530AT
直驱厚料曲折缝
Direct drive zigzag machine(heavy duty)

JR1121手摇绣花机
Hand embroidery machine

JR10-3手摇绣花机
Hand embroidery machine

JR10-5手摇绣花机
Hand embroidery machine



JR2153MX-AT
直驱上下送料筒型曲折缝
Direct drive top and bottom feeding cylinder bed Zigzag machine

JR-204-D-1
双针平台电脑花样马克机
Double needle platform computermark pattern machine

JR591D-S1
电脑罗拉车
Computer roller postbed machine

JR591D/592D
电脑罗拉车
Computer roller postbed machine

JR820/810
高头车
Postbed machine

JR810PBE
假发高头车
Wig set high head sewing machine

JR335
筒型综合送料缝纫机
Cylinder bed Compound feeding machine

JR8B
筒型综合送料缝纫机
Cylinder bed Compound feeding machine

JR810/820	DPX5 19#~22#	1/2	5	1/16" 1/32"	★	★	7~11	2500	37/39 38/40	650x260x570
JR9910/9920	DPX5 19#~22#	1/2	4/7	24/3.2/4.0	★	★	8~13	2500	56/49	670x330x680
JR335	DPX17	1	5.5	24/3.2/4.0	★	★	8~13	2500	39/35	650x260x565
JR2628-LG	DPX17	1	5			★	8~13	3000	45/34	590x260x590

JR2628LG
筒型综合送料缝纫机（大梭）
Cylinder bed Compound feeding lockstitch machine(big hook)

JR335-G-6/01
自动剪线单针筒型综合送料缝纫机
Auto trimmer single needle cylinder bed compound feeding machine

JR168S
双线坐式内线机
Seated type Double threads shoe border machine

JR8365
单针综合送料高头车（左梭座）
Single needle unison feed high post-bed sewing machine(left side)

JR-02
气动式活结钉标机
Pneumatic slipknot nailing machine

JR298
自动上胶折边机
Automatic hot cement edge folding machine

JR360 A/B
第二代双面呢暗缝机
Second generation double sided complete set of equipment

JR370 A/B
第三代双面呢暗缝机
Third generation double sided complete set of equipment

JR801
削皮机
Skiving machine

JR600AT
直驱拉帮机
Direct drive upper drawing machine

JR101
暗缝机 （工业）
Industrial blindstitch machine

JR500
暗缝机（桌面）
Desk stitch machine

JR1510AE
床垫包边机
Matteress tape binding machine

JR520
床垫围边机(整套）
Compoud feed machine for matteress tape edge (complete set)

JR826
柔边机
Tassel machine

JR511AT
立式手套机（笔杆机）
Vertical glove machine (Pen barrel machine)

JR-38
大贝形饰边包缝机
Large shell stitch overlock sewing machine

JR-18
中贝形饰边包缝机
Medium shell stitch overlock sewing machine

JR-17
小贝形饰边包缝机
Small shell stitch overlock sewing machine

JR-1-2
毛毯锁边机
Woolen blanket overlock sewing machine

JR20-2B
地毯包边机
Carpet overedging machine

JR2502
地毯包边机
Carpet overedging machine

JR2200
地毯毛须包边机
Carpet fringing machine

JR26-1A
封包机
Bag closer machine

JR9-2018
封包机
Portable sealing machine

JR808
大白冲扣机
Snap button machine

JR3808
3头电子冲扣机
Electronic snap button machine 3 head

JR818D
气动冲扣机
Pneumatic snap button machine

JR12G-52-1
高速电脑横机
High speed computer knitting machine

JR888
断布机
End cutter

JR911A
全自动切布条机
Automatic cloth strip machine

JR718
电脑双刀自动滚条机
Computer dual automatic cutting and hem embroiddering machine

JR812/815
切带机
Tape cutter

JR801AT/JR801A/JR802A
切布条机
Cloth strip machine

JR140L电脑切带机（冷热刀）
Computer tape cutting machine(Cold hot knife)

	Rail length 轨迹长度M	Cutting breadth 裁剪宽度 MM	Knife speed 刀片转度 R/Min	Cutting speed 裁剪速度 M	V	W	HZ	GW/NW kg	mm
JR888	2.2 2.4 2.6 2.8 3.1	1.6 1.8 2.0 2.2 2.4 2.6	12000	1	220/110	200	50/60	13/9	755X415X245
JR-DB-2	2.1 2.3 2.5 2.7 2.9 3.1	1.6 1.8 2.0 2.2 2.4 2.6	12000	1	220/110	200	50/60	63/58	760X430X325 870X500X325
JR-DB-3	2.1 2.3 2.5 2.7 2.9 3.1	1.6 1.8 2.0 2.2 2.4 2.6	12000	1	220/110	200	50/60	63/58	760X430X325 870X500X325

	切断长度 Cutting length	最大切断宽度 Cutting width		GW/NW kg	
JR812	15-100mm	80mm	80-90p/min	16	400x275x285
JR815	15-1500mm	50mm	23-35p/min	23	500x340x455

		偏心距 Eccentric distance	行程 Stroke	闭合高度 Switch Height	工作台高度 Table Height		GW/NW kg	
JR801A/802A	1	18MM	38MM	16-50MM	70X70MM	1440	25/23	830x360x245

C2
裁剪机
Cutting machine

CZD-3
裁剪机
Cutting machine

CZD-103
裁剪机
Cutting machine

JR1-1H
钻布机（电加热）
Cloth drill machine (heat)

JR200
电热剪
Electroheat cutting machine

JR100AT
直驱圆刀裁剪机
Direct drive round cutting machine

JR100/110
圆刀裁剪机
Round cutting machine

JR125
圆刀裁剪机
Round cutting machine

	V	W	HZ	mm			GW/NW kg	mm
CZD-3	220/110	550/750	50/60	110 160 210 260	6" 8" 10" 12"	2800/3400	18/15	760X405X320
CZD-103	220/110	550/750	50/60	110 160 210 260	6" 8" 10" 12"	2800/3400	18/15	760X405X320
JR100	220/110	248	50/60	27	100		21/17.5	5PCS-570X370X460
JR125	220/110	248	50/60	32	110		21/17.5	5PCS-570X370X460

JR8822
全自动打扣（四合扣、气眼）
Fully automatic buckle (snap button, air eye)

JR1201CS Series
单头绣花机
Single head embroidery machine

JR1201+1
单头绣花机/盘带绣
Falt mixed coiling/taping

型号 Model	头数 Head	针数 Needles	行程 Embroidery area	包装尺寸 Packing size	毛重 Gross weight
JR1201+1	1+1	12/15	550*120mm 21.65*47.24inch	1960*1220*1200mm	540kg

JR3588
全移动绗缝机
Full move quilting machine

JR-2244R-(2.4M)
高速绗缝机
High speed quilting machine

棉布 Cotton cloth

尼龙布 Nylon fabric

皮革 leather

绒布 flannelette

JR140X70/JR150X80
蒸汽烫台
Steam iron table

采用不锈钢网架，不生锈、耐久、寿命长。冲孔透气泡棉，质感透气佳，吸风力强劲。噪音低，不易疲劳。

Stainless steel net shelf,rustless and long life holey sponge, good of quality and ventilate,strong suck wind.Low noise, not easy fatigue.

JR450MS
粘合机自动纠偏
Fusing machine(automatic correction device)

装配有自动蛇动修正装置。
机体设计减少热量对电气部件的影响,提高了电气部件的耐久性及寿命。

Equipped with automatic snake motion correction device.
The body design reduces the influence of heat on the electrical parts and improves the durability and life of the electrical parts.

机型 Model	吸风电机/烫台功率 Motor/Table power	台面尺寸 Table size	台面及横头吸风压强 Table and head pressure		电压 Voltage	体积 Meas.
JR140X70	550W/750W	140X70CM	>-150PA	<=75	220V/1PH 380V/3PH 50HZ	0.45CBM
JR150X80	550W/750W	150X80CM	>-150PA	<=75	220V/1PH 380V/3PH 50HZ	0.51CBM

JR82X26A/JR82X26B
蒸汽烫平机
Steam press

JR94A
熨斗 Iron

JR-202
吸线头机
Thread suction machine

JR560A
吸线头机
Thread suction machine

JR75
小型电热蒸汽锅炉&熨斗
Steam boiler with iron

JR-26N
伺服节能电机
Energy-saving servo motor



M5
伺服节能电机
Energy-saving servo motor

JR-550W
伺服节能电机
Energy-saving servo motor

新一代伺服节能电机 New generation of servo energy-saving motors

1、既节约成本又节约能源。
2、与传统的离合器电机相比，耗电量减少72%。
3、紧凑的设计，坚固的外壳。
4、内置了LED灯和针定位装置的插头。
5、自动上下停针
6、易于设置准确的针定位。
7、易于与大多数机器型号配套。

1. Both cost and energy efficient..
2. Consumes72% less power compared to traditional clutch motor.
3. Compact design,With Robust casing.
4. Built-in plug point for both LED lamp and needle positioning device.
5. Auto Start/Stop technology.
6 · Easy set up for accurate needle positioning.
7. Easy integrationwith most machine models.

型号 Model	功率Power
JR25N	400W
JR26N	550W
JR27N	650W
JR28N	750W
JR29N	1000W
JR550W JR550N	400W/550W/750W
M5	400W/550W/750W

包缝 Overlock

JR20-1
飞马款包缝直驱电机M700
PEGASUS M700 model

JR20-2
飞马款包缝直驱电机M800
PEGASUS M800 model

JR20-3
飞马款包缝直驱电机MX
PEGASUS MX model

JR20-4
飞马款包缝直驱电机EX
PEGASUS EX model

JR20-5
重机款包缝直驱电机3300
JUKI 3300 model

JR20-6
重机款包缝直驱电机6714
JUKI 6714 model

JR20-7
银箭款包缝直驱电机747F-737-757
SIRUBA 747F-737-757 model overlock direct drive motor

JR20-8
银箭款包缝直驱电机747E
SIRUBA 747E model overlock direct drive motor

JR20-9
银箭款包缝直驱电机988
SIRUBA 988 model overlock direct drive motor

JR20-10
大和款包缝直驱电机8430/8020/6125
YAMATO 8430 8020 6125 model overlock direct drive motor

JR20-11
杰克款包缝直驱电机768
JACK 768 model overlock direct drive motor

JR20-12
宝狮款包缝直驱电机8000/9000
KINGTEX 8000 9000 model overlock direct drive motor

JR20-13
顺发款包缝直驱电机958
SHUNFA 958 model overlock direct drive motor

JR20-14
佳岛款包缝直驱电机799
JAKI 799 model overlock direct drive motor

研发快捷
Keep on researching

新品不断.....
and developing new products.....

绷缝 Interlock

JR22-1
大和款绷缝电机VT1500
YAMATO VT1500 model interlock direct drive motor

JR22-2
大和款4针6线电机
YAMATO 4 needle 6 thread model interlock direct drive motor

JR22-3
大和款绷缝电机VF2500/2700
YAMATO VF2500 2700 model interlock direct drive motor

JR22-4
飞马款绷缝电机W500/W600
PEGASUS W500/W600 interlock direct drive motor

JR22-5
重机款链式电机3800
JUKI 3800 model chainstitch motor

JR22-6
重机款曲折缝电机2280/2284
JUKI 2280/2284 model zig-zag motor

JR22-7
森本款多针机电机1400/1404
KAISAI 1400/1404 model muti-needle motor

JR22-8
银箭款多针机电机V008
SIRUBA V008 model muti-needle motor

JR22-9
星菱款电机FW777
SHING LING FW777 model motor

JR22-10
兄弟款电机842/852
BROTHER 842/852 model motor

功率（Power）	电压（voltage）	赫兹（Hertz）	R.p.m	G/W kg	mm
400/250W	220V	50HZ	2850	19/18 18/17	400X300X250 380X290X240
400W	110/220V	60/50 HZ	3450/2850	19/18	400X300X250

深蓝系列台板
Deep blue stand table